

Contents

PREFACE	<i>xi</i>
1 CUSTOM COMPUTING MACHINES: AN INTRODUCTION	1
1.1 Introduction	1
1.2 The Context for Splash 2	4
1.2.1 FPGAs	4
1.2.2 Architecture	5
1.2.3 Programming	6
2 THE ARCHITECTURE OF SPLASH 2	10
2.1 Introduction	10
2.2 The Building Blocks	11
2.3 The System Architecture	12
2.4 Data Paths	13
2.5 The Splash 2 Array Board	16
2.5.1 The Linear Array	16
2.5.2 The Splash 2 Crossbar	16
2.5.3 Xilinx Chip X0 and Broadcast Mode	17
2.6 The Interface Board and Control Features	17

3	<i>HARDWARE IMPLEMENTATION</i>	19
3.1	Introduction	19
3.2	Development Board Design	21
3.3	Interface Board Design	21
3.3.1	DMA Channel,	23
3.3.2	XL and XR,	23
3.3.3	Interrupts,	24
3.3.4	Clock,	24
3.3.5	Programming and Readback,	24
3.3.6	Miscellaneous Registers,	25
3.4	Array Board Design	25
3.4.1	Processing Element,	26
3.4.2	Control Element,	28
3.4.3	External Memory Access,	28
3.4.4	Crossbar,	28
3.4.5	Programming and Readback,	29
3.4.6	Miscellaneous Registers,	29
4	<i>SPLASH 2: THE EVOLUTION OF A NEW ARCHITECTURE</i>	31
4.1	Splash 1	31
4.2	Splash 2: Thoughts on a Redesign	34
4.3	Programming Language	36
4.4	Choice of FPGAs	37
4.5	Choice of Host and Bus	38
4.6	Chip-to-Chip Interconnections	39
4.7	Multitasking	42
4.8	Chip X0 and Broadcast	43
4.9	Other Design Decisions	43
5	<i>SOFTWARE ARCHITECTURE</i>	46
5.1	Introduction	46
5.2	Background	47
5.3	VHDL as a Programming Language	49
5.3.1	History and Purpose of VHDL,	50
5.3.2	VHDL Language Features,	50
5.3.3	Problems with VHDL,	51
5.4	Software Environment	51

5.5	Programmer's View of Splash 2	55
5.5.1	Programming Process,	55
5.5.2	Processing Element View,	56
5.5.3	Interface Board View,	57
5.5.4	Host View,	57
6	SOFTWARE IMPLEMENTATION	60
6.1	Introduction	60
6.2	VHDL Environment	60
6.2.1	Splash 2 VHDL Library,	61
6.2.2	Standard Entity Declarations,	61
6.2.3	Programming Style,	64
6.3	Splash 2 Simulator	66
6.3.1	Structure,	66
6.3.2	Configuring the Simulator,	67
6.3.3	Input and Output,	68
6.3.4	Crossbar and Memory Models,	68
6.3.5	Hardware Constraints,	70
6.4	Compilation	70
6.4.1	Logic Synthesis,	70
6.4.2	Physical Mapping,	71
6.4.3	Debugging Support,	71
6.5	Runtime System	72
6.5.1	T2: A Symbolic Debugger,	72
6.5.2	Runtime Library,	73
6.5.3	Device Driver,	74
6.6	Diagnostics	75
7	A DATA PARALLEL PROGRAMMING MODEL	77
7.1	Introduction	78
7.2	Data-parallel Bit C	80
7.2.1	dbC Overview,	80
7.2.2	dbC Example,	81
7.3	Compiling from dbC to Splash 2	82
7.3.1	Creating a Specialized SIMD Engine,	83
7.3.2	Generic SIMD Code,	84
7.3.3	Generating VHDL,	84
7.4	Global Operations	88
7.4.1	Nearest-Neighbor Communication,	88

7.4.2	Reduction Operations, 89	
7.4.3	Host/Processor Communication, 91	
7.5	Optimization: Macro Instructions	92
7.5.1	Creating a Macro Instruction, 93	
7.5.2	Discussion, 94	
7.6	Evaluation: Genetic Database Search	94
7.7	Conclusions and Future Work	95
8	SEARCHING GENETIC DATABASES ON SPLASH 2	97
8.1	Introduction	97
8.1.1	Edit Distance, 98	
8.1.2	Dynamic Programming Algorithm, 98	
8.2	Systolic Sequence Comparison	100
8.2.1	Bidirectional Array, 100	
8.2.2	Unidirectional Array, 103	
8.3	Implementation	104
8.3.1	Modular Encoding, 105	
8.3.2	Configurable Parameters, 106	
8.3.3	Bidirectional Array, 107	
8.3.4	Unidirectional Array, 107	
8.4	Benchmarks	107
8.5	Discussion	108
8.6	Conclusions	108
9	TEXT SEARCHING ON SPLASH 2	110
9.1	Introduction	110
9.2	The Text Searching Algorithm	111
9.3	Description of the Single-Byte Splash Program	113
9.4	Timings, Discussion	114
9.5	Outline of the 16-bit Approach	115
9.6	Conclusions	116
10	FINGERPRINT MATCHING ON SPLASH 2	117
10.1	Introduction	117
10.2	Background	120

10.2.1	Pattern Recognition Systems, 121	
10.2.2	Terminology, 122	
10.2.3	Stages in AFIS, 123	
10.3	Splash 2 Architecture and Programming Models	125
10.4	Fingerprint Matching Algorithm	125
10.4.1	Minutia Matching, 126	
10.4.2	Matching Algorithm, 127	
10.5	Parallel Matching Algorithm	128
10.5.1	Preprocessing on the Host, 131	
10.5.2	Computations on Splash, 132	
10.5.3	VHDL Specification for X0, 133	
10.6	Simulation and Synthesis Results	134
10.7	Execution on Splash 2	137
10.7.1	User Interface, 137	
10.7.2	Performance Analysis, 137	
10.8	Conclusions	139
11 HIGH-SPEED IMAGE PROCESSING WITH SPLASH 2		141
11.1	Introduction	141
11.2	The VTSplash System	142
11.3	Image Processing Terminology and Architectural Issues	143
11.4	Case Study: Median Filtering	150
11.5	Case Study: Image Pyramid Generation	153
11.5.1	Gaussian Pyramid, 154	
11.5.2	Two Implementations for Gaussian Pyramid on Splash 2, 155	
11.5.3	The Hybrid Pipeline Gaussian Pyramid Structure, 157	
11.5.4	The Laplacian Pyramid, 157	
11.5.5	Implementation of the Laplacian Pyramid on Splash 2, 159	
11.6	Performance	159
11.7	Summary	163
12 THE PROMISE AND THE PROBLEMS		166
12.1	Some Bottom-Line Conclusions	166
12.1.1	High Bandwidth I/O Is a Must, 166	
12.1.2	Memory Is a Must, 167	
12.1.3	Programming Is Possible, and Becoming More So, 168	
12.1.4	The Programming Environment Is Crucial, 168	
12.2	To Where from Here?	169

12.3	If Not Splash 3, Then What?	171
12.3.1	Architectures,	172
12.3.2	Custom Processors,	173
12.3.3	Languages,	174
12.4	The “Killer” Applications	177
12.5	Final Words	178
A	SPLASH 2 DEVELOPMENT—THE PROJECT MANAGER’S SUMMARY	179
B	AN EXAMPLE APPLICATION	186
	REFERENCES	190